



*CORNIX
STORAGE SYSTEMS
FOR LIFE!*

Handling

Cornix is manufacturer of storage systems since 1958

TRAVIROLL® • CONVEYORS



For the most up to date price : please consult us

3 LEGGED ROLLER STAND

Stable steel support stand with square tube and adjustable telescopic C-profile (stepless).
Secure with clamp.



Three legged frame lacquered blue RAL 5015.
Upper part is sendzimir galvanized.

For the rollers you have a choice of 2 types of steel rollers :

- Ø 50 x 1,5 mm (150 kg/max. roller bearing load)
- Ø 60 x 2,0 mm (240 kg/max. roller bearing load)

Other dimensions and loads are available on request.

TYPE ROLLER	TRACK WIDTH (mm)	TOTAL HEIGHT (mm)					
		450-650		650-1050		1050-1450	
		CODE	€	CODE	€	CODE	€
Ø 50 x 1,5 mm	200	9BPS52463V		9BPS526103V		9BPS5210143V	
	300	9BPS53463V		9BPS536103V		9BPS5310143V	
	400	9BPS54463V		9BPS546103V		9BPS5410143V	
	500	9BPS55463V		9BPS556103V		9BPS5510143V	
	600	9BPS56463V		9BPS566103V		9BPS5610143V	
Ø 60 x 2 mm	200	9BPS62463V		9BPS626103V		9BPS6210143V	
	300	9BPS63463V		9BPS636103V		9BPS6310143V	
	400	9BPS64463V		9BPS646103V		9BPS6410143V	
	500	9BPS65463V		9BPS656103V		9BPS6510143V	
	600	9BPS66463V		9BPS666103V		9BPS6610143V	



FLEXIBLE CONVEYORS

Flexible conveyors can be used anywhere depending on your needs. They can be combined with the gravity conveyors and once you don't need them anymore you just put them in a corner where they take up a minimum of space.

The height of the support stand is stepless adjustable (700 up to 1100 mm) in order to obtain the ideal gradient. Each support stand is equipped with two swivel castors Ø 100 mm that allow you to fit in the flexible conveyors in any configuration you want.

Curves are easily formed.

All parts are sendzimir galvanized.

Two types are available :

- Blue plastic rollers Ø 50 mm (steel rollers available on request). Axle distance 55 - 130 mm stepless adjustable according to the extended length.
Application : less stable boxes.

- Ball-bearing steel galvanized wheels Ø 48 mm (plastic wheels available on request). Axle distance 32 - 130 mm stepless adjustable according to the extended length.
Application : rigid boxes with flat bottom.



EUROPE'S FIRST MANUFACTURER OF STORAGE SYSTEMS

FLEXIBLE CONVEYORS WITH PLASTIC ROLLERS Ø 50 mm



Total width (mm)	Track width (mm)	Number of axles	Number of support stands	Max. load between 2 stands (kg)	Number of shears	Wheels/ axle	Extensible from - up to (m)	CODE	€
315	300	36	3	100	2	1	1,9 - 4,4	9BHK313323V	
		50	4				2,7 - 6,2	9BHK314443V	
		64	5				3,3 - 7,9	9BHK315563V	
		78	6				4,0 - 9,6	9BHK316683V	
415	400	36	3	100	2	2	1,9 - 4,4	9BHK423323V	
		50	4				2,7 - 6,2	9BHK424443V	
		64	5				3,3 - 7,9	9BHK425563V	
		78	6				4,0 - 9,6	9BHK426683V	
515	500	36	3	100	2	3	1,9 - 4,4	9BHK533323V	
		50	4				2,7 - 6,2	9BHK534443V	
		64	5				3,3 - 7,9	9BHK535563V	
		78	6				4,0 - 9,6	9BHK536683V	
615	600	36	3	120	3	2	1,9 - 4,4	9BHK623323V	
		50	4				2,7 - 6,2	9BHK624443V	
		64	5				3,3 - 7,9	9BHK625563V	
		78	6				4,0 - 9,6	9BHK626683V	

FLEXIBLE CONVEYORS WITH STEEL SKATE WHEELS Ø 48 mm



Total width (mm)	Track width (mm)	Number of axles	Number of support stands	Max. load between 2 stands (kg)	Number of shears	Wheels/ axle	Extensible from - up to (m)	CODE	€
315	300	36	3	100	2	3	1,2 - 4,4	9BHS333323V	
		50	4				1,7 - 6,2	9BHS334443V	
		64	5				2,2 - 7,9	9BHS335563V	
		78	6				2,8 - 9,6	9BHS336683V	
415	400	36	3	100	2	4	1,2 - 4,4	9BHS443323V	
		50	4				1,7 - 6,2	9BHS444443V	
		64	5				2,2 - 7,9	9BHS445563V	
		78	6				2,8 - 9,6	9BHS446683V	
515	500	36	3	100	3	5	1,2 - 4,4	9BHS553323V	
		50	4				1,7 - 6,2	9BHS554443V	
		64	5				2,2 - 7,9	9BHS555563V	
		78	6				2,8 - 9,6	9BHS556683V	
615	600	36	3	120	3	6	1,2 - 4,4	9BHS663323V	
		50	4				1,7 - 6,2	9BHS664443V	
		64	5				2,2 - 7,9	9BHS665563V	
		78	6				2,8 - 9,6	9BHS666683V	

Track width 800 and 1000 mm also available on request.

CONNECTING UNIT

For roller conveyor or skate wheel conveyors.



FOLDING DOWN

END STOP

(height +/- 100 mm)

DESCRIPTION	W (mm)	ROLLER CONVEYOR CODE	€	W (mm)	WHEEL CONVEYOR CODE	€	W (mm)	CODE	€
L = +/- 400 mm; (axle distance rollers : 100 mm) to connect 2 flexible conveyors	300	9BHK33V		300	9BHS33V		300	9BAR33V	
	400	9BHK43V		400	9BHS43V		400	9BAR43V	
	500	9BHK53V		500	9BHS53V		500	9BAR53V	
	600	9BHK63V		600	9BHS63V		600	9BAR63V	

CORNIX ADVICE

How to determine the maximum load of your conveyor ?

For the mini roller conveyor this is not relevant as small boxes won't weigh much.

For the light duty roller conveyors the maximum load is restricted to the possible load between 2 support stands. If they stand 2 meter apart then the maximum allowed load is 120 kg uniformly distributed. If they stand 1,5 m apart then the maximum allowed load is 160 kg uniformly distributed. You can always approach the support stands even more but then it will probably be cheaper to choose a heavy duty system. In case of doubt do not hesitate to contact one of our project engineers !

TRAVIROLL® • CONVEYORS



LIGHT DUTY ROLLER CONVEYORS

For transport of goods by means of a light slope (2 at 5 %) depending on the weight and the structure of your goods. Minimum support : 3 rollers. Frame with sendzimir galvanized steel U-beams 20/60/20 (2 mm gauge) with bolted cross beams and plastic or steel rollers with threaded galvanized axle \varnothing 6 mm. All rollers are bolted to the U-beams. The curves have an inner radius of 800 mm (compared to the inside of the curve). Depending on the track width curve rollers will be single or multipartite.

Curves with conical rollers are available on request.

For extra load all axles are continuous over the full width of the roller. Aluminium rollers with inox bearing-housing, for humid environment or outside use, are also available. Rollers for heavy duty loads are available on request (up to 500 kg/bearing).



1 Plastic roller, blue \varnothing 50 x 2,8 mm. Plastic bearing housing with ball-bearings. Threaded galvanized axle \varnothing 8 mm.

Applications : for boxes up to 20 - 25 kg maximum.

2 Steel roller, sendzimir, \varnothing 50 x 1,5 mm. Steel bearing housing with ball-bearings, threaded galvanized axle \varnothing 8 mm.

Applications : for boxes of more than 25 kg.

Width total A (mm)	axle/axle B (mm)	track rollers (mm)	1 METER			2 METER			3 METER			90°		45°	
			CODE	€		CODE	€		CODE	€		CODE	€	CODE	€
PLASTIC ROLLERS \varnothing 50 x 2,8 mm															
340	300	75*	9BK531073V		9BK532073V		9BK533073V		9BK539073V		9BK534073V				
		100	9BK531103V		9BK532103V		9BK533103V		9BK539103V		9BK534103V				
		125	9BK531123V		9BK532123V		9BK533123V		9BK539123V		9BK534123V				
	440	400	75*	9BK541073V		9BK542073V		9BK543073V		9BK549073V		9BK544073V			
			100	9BK541103V		9BK542103V		9BK543103V		9BK549103V		9BK544103V			
			125	9BK541123V		9BK542123V		9BK543123V		9BK549123V		9BK544123V			
540	500	75*	9BK551073V		9BK552073V		9BK553073V		9BK559073V		9BK554073V				
		100	9BK551103V		9BK552103V		9BK553103V		9BK559103V		9BK554103V				
		125	9BK551123V		9BK552123V		9BK553123V		9BK559123V		9BK554123V				
640	600	75*	9BK561073V		9BK562073V		9BK563073V		9BK569073V		9BK564073V				
		100	9BK561103V		9BK562103V		9BK563103V		9BK569103V		9BK564103V				
		125	9BK561123V		9BK562123V		9BK563123V		9BK569123V		9BK564123V				
STEEL ROLLERS \varnothing 50 x 1,5 mm															
340	300	75*	9BS531073V		9BS532073V		9BS533073V		9BS539073V		9BS534073V				
		100	9BS531103V		9BS532103V		9BS533103V		9BS539103V		9BS534103V				
		125	9BS531123V		9BS532123V		9BS533123V		9BS539123V		9BS534123V				
	440	400	75*	9BS541073V		9BS542073V		9BS543073V		9BS549073V		9BS544073V			
			100	9BS541103V		9BS542103V		9BS543103V		9BS549103V		9BS544103V			
			125	9BS541123V		9BS542123V		9BS543123V		9BS549123V		9BS544123V			
540	500	75*	9BS551073V		9BS552073V		9BS553073V		9BS559073V		9BS554073V				
		100	9BS551103V		9BS552103V		9BS553103V		9BS559103V		9BS554103V				
		125	9BS551123V		9BS552123V		9BS553123V		9BS559123V		9BS554123V				
640	600	75*	9BS561073V		9BS562073V		9BS563073V		9BS569073V		9BS564073V				
		100	9BS561103V		9BS562103V		9BS563103V		9BS569103V		9BS564103V				
		125	9BS561123V		9BS562123V		9BS563123V		9BS569123V		9BS564123V				

* The axle distance 75 mm causes the 1 m frame to be only 975 mm long and the 2 m frame to be only 1950 mm long. Track width 200 and 800 mm and axle distance 62,5, 150 and 200 mm available on request. Skate wheel conveyors (plastic or steel wheels) on request.



MINI ROLLER CONVEYORS

For continuous transport of small boxes (maximum 100 mm) by means of a light slope (2 at 5 %). The goods have to be supported by at least 3 rollers. Frame with sendzimir galvanized steel U-beams 20/60/20 (2 mm gauge) with bolted cross beams and plastic or steel rollers with galvanized axle \varnothing 6 mm. The curves have an inner radius of 800 mm (compared to the inside of the curve). Depending on the track width curve rollers will be single or multipartite.

Attention : with the \varnothing 20 mm rollers the U-beam stands out 5 mm above the roller, a free side rail !

Applications :

Mini roller conveyors are more expensive than the light roller conveyors, simply because you require more rollers per meter. Therefore these rollers should only be used for small boxes as every box has to be supported by a minimum of three rollers.

- 1 **Plastic roller**, blue \varnothing 20 x 1,5 mm. Plastic bearing housing with ball-bearings, galvanized axle \varnothing 6 mm.
- 2 **Steel roller**, sendzimir galvanized, \varnothing 20 x 1 mm. Plastic bearing housing with ball-bearings, galvanized axle \varnothing 6 mm.

Width total A (mm)	axle/axle track B (mm)	axle rollers (mm)	1 METER		2 METER		3 METER		90°		45°	
			CODE	€	CODE	€	CODE	€	CODE	€	CODE	€
PLASTIC ROLLERS \varnothing 20 x 1,5 mm												
240	200	25	9BK2213V		9BK2223V		9BK2233V		9BK2293V		9BK2243V	
340	300	25	9BK2313V		9BK2323V		9BK2333V		9BK2393V		9BK2343V	
440	400	25	9BK2413V		9BK2423V		9BK2433V		9BK2493V		9BK2443V	
540	500	25	9BK2513V		9BK2523V		9BK2533V		9BK2593V		9BK2543V	
STEEL ROLLERS \varnothing 20 x 1 mm												
240	200	25	9BS2213V		9BS2223V		9BS2233V		9BS2293V		9BS2243V	
340	300	25	9BS2313V		9BS2323V		9BS2333V		9BS2393V		9BS2343V	
440	400	25	9BS2413V		9BS2423V		9BS2433V		9BS2493V		9BS2443V	
540	500	25	9BS2513V		9BS2523V		9BS2533V		9BS2593V		9BS2543V	

SUPPORT STANDS

PLEASE SPECIFY TRACK WIDTH !

TOTAL HEIGHT CONVEYOR (mm)	3-LEGGED STAND* (blue ral 5015) CODE	€	DOUBLE STAND (blue ral 5015) CODE	€
275 - 340	9BPT233V		9BPD233V	
340 - 395	9BPT343V		9BPD343V	
390 - 570	9BPT463V		9BPD463V	
550 - 850	9BPT473V		9BPD473V	
680 - 1100	9BPT6113V		9BPD6113V	
870 - 1350	9BPT9163V		9BPD9163V	
1100 - 1550	-	-	9BPD11203V	

* Three legged stands are only used for temporary installations. As most of the installations are permanent we advise the use of the double stands. However these have to be fixed to the floor by means of anchors or screw bolts (optional, price on request).

END STOP (height = 100 mm) : PLEASE SPECIFY TRACK WIDTH !

TYPE	CODE	€
Fixed up to 500 mm	9BAF53V	
Fixed from 600 up to 800 mm	9BAF83V	
Per meter (indivisible)	9BAF103V	
Hang in type up to 500 mm	9BAA53V	
Hang in type from 600 up to 800 mm	9BAA83V	

SIDE RAIL

Round tube \varnothing 25 mm
sendzimir
(height = 70 mm)



TYPE	CODE	€
Single sided	1 meter	9BG1S3V
	Curve 90°	9BG9S3V
	Curve 45°	9BG4S3V
Double sided	1 meter	9BG1D3V
	Curve 90°	9BG9D3V
	Curve 45°	9BG4D3V

FOLDING DOWN PASSAGE

Length : 1000 mm.

To be added to the price of the 1 meter conveyor !

TYPE	WITH HINGES		WITH HINGES AND AUXILIARY SPRING	
	CODE	€	CODE	€
Jusqu'à 500 mm	9BPRS53V		9BPRSR53V	
De 600 à 800 mm	9BPRS83V		9BPRSR83V	

MINIRACK PLUS® • WORKBENCHES



For the most up to date price : please consult us



WORKBENCHES & TABLES MINIRACK PLUS®

Workbenches & worktables - packing tables based on the Minirack Plus® system.

Standard height : 850 mm + worktop of your choice.

Standard depth structure : 700 en 800 mm (other depths on request). Depth of worktop is 90 mm more than the structure depth.

Standard length structure : 1300, 1600 and 1900 mm. The worktop is 50 mm longer than the structure.

Colour structure : blue RAL 5010



Worktop of you choice :

- chipboard 22 and 38 mm
- white melamine 22 mm with or without taped up sides
- multiplex

Extra shelf and full range of accessories available. Equipped with plastic feet. Steel base or adjustable base on request.

Delivered non assembled. Easy assembling.



Given the huge number of possibilities and the flexibility of our production we can provide a worktable, workbench or packing table that suits your needs perfectly. Ask for a free quote for any non-standard type.

WORKBENCH Minirack Plus® 700 mm deep structure

TYPE		135/70		165/70		195/70	
DESCRIPTION (non assembled)		CODE	€	CODE	€	CODE	€
Structure	lxd (mm)	1300x700		1600x700		1900x700	
2(1) frames h=850 mm	starter	ME13570D4		ME16570D4		ME19570D4	
+ 2 beams T50x30 with welded angle interior + 4(2) feet + screws for worktop fixation.	extension	ME13570S4		ME16570S4		ME19570S4	
Worktop	lxd (mm)	1350x790		1650x790		1950x790	
chipboard 22 mm		MEA22135794		MEA22165794		MEA22195794	
chipboard 38 mm		MEA38135794		MEA38165794		MEA38195794	
melamine 22 mm, 4-sided taped up		MEMB22135794		MEMB22165794		MEMB22195794	
melamine 39 mm, 3-sided taped up		MEMB391AR135804		MEMB391AR165804		MEMB391AR195804	
+ 1 side rounded off			not available		not available		not available
melamine 39 mm, 2-sided taped up							
+ 2 sides rounded off			on request		on request		on request
multiplex 22 mm		MEMU22135794		MEMU22165794		MEMU22195794	
multiplex 40 mm		MEMU40152755		MEMU40169755		MEMU40200755	
Extra shelf	lxd (mm)	1200x700		1500x700		1800x700	
2 beams TA60x30		METAA22120704		METAA22150704		METAA22180704	
+ 1 chipboard 22 mm							
2 beams TA60x30 + 1 melamine board 22 mm not taped up		METAM22120704		METAM22150704		METAM22180704	

WORKBENCH Minirack Plus® 800 mm deep structure

TYPE		135/80		165/80		195/80	
DESCRIPTION (non assembled)		CODE	€	CODE	€	CODE	€
Structure	lxd (mm)	1300x800		1600x800		1900x800	
2(1) frames h=850 mm	starter	ME13580D4		ME16580D4		ME19580D4	
+ 2 beams T50x30 with welded angle interior + 4(2) feet + screws for worktop fixation.	extension	ME13580S4		ME16580S4		ME19580S4	
Worktop	lxd (mm)	1350x890		1650x890		1950x890	
chipboard 22 mm		MEA22135894		MEA22165894		MEA22195894	
chipboard 38 mm		MEA38135894		MEA38165894		MEA38195894	
melamine 22 mm, 4-sided taped up		MEMB22135894		MEMB22165894		MEMB22195894	
melamine 39 mm, 3-sided taped up			not available		not available		not available
+ 1 side rounded off							
melamine 39 mm, 2-sided taped up		MEMB392AR135904		MEMB392AR165904		MEMB392AR195904	
+ 2 sides rounded off							
multiplex 22 mm		MEMU22135894	on request	MEMU22165894	on request	MEMU22195894	on request
multiplex 40 mm		MEMU40135899		MEMU40165899		MEMU40195899	
Extra shelf	lxd (mm)	1200x800		1500x800		1800x800	
2 beams TA60x30		METAA22120804		METAA22150804		METAA22180804	
+ 1 chipboard 22 mm							
2 beams TA60x30 + 1 melamine board 22 mm not taped up		METAM22120804		METAM22150804		METAM22180804	



Chipboard worktop



Melamine worktop



Multiplex worktop



Extra shelf

FRAME FOR ACCESSORIES for workbench with length (mm)		1350		1650		1950	
		CODE	€	CODE	€	CODE	€
Raised frame 1000 mm (fixings included) per piece (depth 220 mm) : 1 required per side !		MEMR100B4		MEMR100B4		MEMR100B4	
Shelf 220 mm deep for raised frame :							
* without worktop (e.g. to fit Corbac C3)		META120204		META150204		META180204	
* with chipboard worktop 22 mm		METAA22120204		METAA22150204		METAA22180204	
* with melamine worktop 22 mm not taped up		METAM22120204		METAM22150204		METAM22180204	
<i>This shelf can be installed slanted in order to fit your Corbac C3 inclined.</i>							
Cable drum bracket for raised frame (per piece), tubes up to Ø 25 mm		MEPT22B4		MEPT22B4		MEPT22B4	
Beam TA60x30 backwards welded for installation of accessories (e.g. neon light strips, plastic bins Corbac PS).		MTAR612B4		MTAR615B4		MTAR618B4	

Attention : in order to guarantee the stability of the raised frames in case of cable drum brackets a top shelf is needed (with our without worktop) !



EUROPE'S FIRST MANUFACTURER OF STORAGE SYSTEMS



Raised frame with shelf + beam for accessories
accessoires

Raised frame + cable drum brackets

ACCESSORIES	DIMENSIONS (mm) L x D x H	CODE	€
Adjustable base (per piece)		JPP5030VN0	
Cupboard unit, door opening to the right : to be used preferably together with the 700 mm deep structure; equipped with yale lock and 2 galvanized shelves.	500 x 700 x 585	MA1P507058B0	
Drawer block with 4 drawers : to be used preferably together with the 700 mm deep structure; interior dimensions drawers : 415x650 mm (wxd); heights 95, 2x110 and 170 mm; equipped with central locking system and anti-tilt safety system.	500 x 700 x 585	MA3T507058B0	
Plastic bins Corbac (type C3 is recommended for the raised shelf)			webshop
Plastic bins Modulbox (recommended depth 600 mm)			webshop
Plastic bins Normeurop (recommended depths 600 & 800 mm)			webshop
Fender for bins (to be fixed onto the extra shelf)	1200 x 31 x 54 1500 x 31 x 54 1800 x 31 x 54	MEAR120B4 MEAR150B4 MEAR180B4 ASITU22B4	
Brace for chipboard divider 22 mm (2 braces required per divider, price per piece)			on request
Chipboard divider 22 mm			on request

Attention : in order to install a drawer block or a cupboard unit an extra shelf is required. This has to be ordered separately.

NEW : body grey ral 7035 / door & drawers blue ral 5010



Workbench 165/70 with extra shelf



Workbench 165/70 with extra shelf and a 4-drawer block



Workbench 165/70 with extra shelf and cupboard with 2 galvanized shelves



Workbench 165/70 with extra shelf, 4-drawer block and cupboard with 2 shelves



Brace for chipboard divider



Corbac plastic bins



Modulbox plastic bins

WORKSHOP CUPBOARDS & CHAIRS



WORKSHOP CUPBOARD

Ideal for storage of small items in garages, plumbers, workshops, ...

SUPER ADVANTAGEOUS COMBINATION :

- Removable plastic dividers.
- Adjustable shelves.
- Each shelf (except the top one) has a steel label holder rail which allows you to identify easily your items, and this without surcharge !
- Full steel sheet cupboard lacquered light grey (+/- 60 micron) and backed in the oven at 180° C.
- Available in 2 heights.
- Delivered assembled !

DIMENSIONS	NUMBER OF SHELVES (TOP INCL.)	NUMBER OF DIVIDERS	CODE	€
L x D x H (mm)				
1000 x 300 x 1000	7	36	TM1304	
1000 x 300 x 2000	13	72	TM2304	webshop
Extra divider			TSP30G0	



5210G



5410G



4410Z

WOODEN WORKSHOP CHAIRS

Several types available.

The high seat chairs are equipped with an adjustable chrome plated footrest. Anatomic varnished backrest and seat.

Stepless adjustable height with gas piston Liftomat.

Anatomic mechanism : stepless adjustable backrest in any possible angle. Height adjustable backrest. Black lacquered pedestal equipped with skates.

Swivel castors available with surcharge except for the 4410Z model where they are delivered as standard.

CHAIR TYPE	FOOT-REST	BACK-REST	HEIGHT SEAT (mm)	SEAT L x D (mm)	CASTORS	CODE	€
5210G	yes	-	620-820	Ø 350	optional	9CH5210G4V	
5412G	yes	yes	470-670	400 x 380	optional	9CH5412G4V	
5410G	yes	yes	650-850	400 x 380	optional	9CH5410G4V	webshop
4410Z	-	yes	410-550	400 x 380	standard	9CH4410Z4V 9CHR4V	

Extra charge for castors



5110G



4110Z

POLYURETHANE WORKSHOP CHAIRS

They combine the advantages of the wooden chair (easy maintenance & dust resistant) with the comfort of an upholstered chair without the wear & tear of the latter. The high seat chairs are equipped with an adjustable chrome plated footrest. Anatomic varnished backrest and seat.

Stepless adjustable height with gas piston Liftomat. Anatomic mechanism : stepless adjustable backrest in any possible angle. Height adjustable backrest. Black lacquered pedestal equipped with skates. Swivel castors available with surcharge.

(standard on the 4110Z model)

CHAIR TYPE	FOOT-REST	BACK-REST	HEIGHT SEAT (mm)	SEAT L x D (mm)	CASTORS	CODE	€
5112G	yes	yes	470-670	420 x 390	optional	9CH5112G4V	
5110G	yes	yes	670-870	420 x 390	optional	9CH5110G4V	webshop
4110Z	-	yes	450-570	420 x 390	standard	9CH4110Z4V 9CHR4V	

Extra charge for castors

STEP LADDERS

MOBILE STEP LADDERS

4 models available, 2 of which are folding (Rolstep et Manuroul). Maximum load : 150 kg for each model. All models are equipped with handrailing on both sides. For use in warehouses, shops, archives, DIY markets, etc.

Attention : these step ladders do not comply with the EN131 standard. For mobile step ladders there are no standards.



FOLDING MOBILE STEP LADDERS

1 ROLSTEP

Folding step ladders with integrated toolbox. Easy moving around : just lift the step ladder by the ergonomic handrailing.

Equipped with 2 fixed castors \varnothing 100 mm, 80 mm deep steps.

Platform 350/300 x 300 mm. 850 mm high safety railing. 10 year guarantee.

2 MANUROUL

Folding step ladders equipped with 4 retractable swivel castors \varnothing 80 mm and 120 mm deep steps. Shelf 240/280 x 280 mm.

Platform 250/290 x 290 mm. 2 year guarantee.

The step ladder becomes stable & fixed once loaded.

TYPE	NUMBER OF STEPS	PLATFORM HEIGHT (mm)	TOTAL (mm) HEIGHT (mm)	LENGTH X WIDTH BASE (mm)	CODE	€
1 ROLSTEP	5 + 1	1400	2300	1300 x 630	9ETME62V	webshop
	6 + 1	1650	2550	1580 x 660	9ETME72V	
	8 + 1	2120	3200	1700 x 700	9ETME92V	
	10 + 1	2600	3500	2020 x 780	9ETME112V	
2 MANUROUL	3 + 1	880	1570	1000 x 530	9EMR44R	
	4 + 1	1100	1790	1000 x 550	9EMR54R	
	5 + 1	1320	2010	1150 x 590	9EMR64R	
	6 + 1	1540	2230	1300 x 630	9EMR74R	
	7 + 1	1760	2450	1450 x 670	9EMR84R	



NON-FOLDING MOBILE STEP LADDERS

3 ESCAROUL

Non folding step ladders for intensive use. Equipped with 4 double retractable swivel castors \varnothing 80mm. Just as the Manuroul these step ladders become stable and fixed once they are loaded.

120 mm deep steps. Platform : 400 x 330 mm. 2 year guarantee.

4 STABIROUL

Robust step ladders for intensive use. Equipped with a retractable chassis with handle and 4 swivel castors \varnothing 100 mm. The step ladders become fixed by pulling up the retractable chassis with the handle.

120 mm deep steps. Platform 450 x 370 mm. 2 year guarantee.

* Equipped with 2 stabilizers for extra safety and stability.

TYPE	NUMBER OF STEPS	PLATFORM HEIGHT (mm)	TOTAL (mm) HEIGHT (mm)	LENGTH X WIDTH BASE (mm)	CODE	€
3 ESCAROUL	2 + 1	650	1720	800 x 650	9EER34R	webshop
	3 + 1	900	1970	950 x 650	9EER44R	
	4 + 1	1140	2210	1110 x 650	9EER54R	
	5 + 1	1350	2420	1250 x 650	9EER64R	
	6 + 1	1550	2620	1400 x 650	9EER74R	
	7 + 1	1750	2790	1450 x 700	9ESR84R	
	8 + 1	2000	3040	1650 x 700	9ESR94R	
4 STABIROUL	10 + 1	2450	3540	1850 x 850	9ESR114R	
	12 + 1 *	3100	4140	2250 x 850	9ESR134R	
	14 + 1 *	3500	4540	2800 x 1100	9ESR154R	
	17 + 1 *	4000	5040	2850 x 1300	9ESR184R	

STEP LADDERS & STAIRCASES

**10 YEAR
GUARANTEE**

EN 131 / EN 1004/3

V.G.S.
label of



INDUSTRIAL ALUMINIUM STEP LADDERS

For a professional use (offices, archives, warehouse, shops, etc.).

Very robust 80 mm deep anti-skid steps.

Rubber feet resistant to oil. AIB approved. 10 year guarantee against any eventual manufacturing default and with a normal use.

On request all step ladders can be equipped with self-blocking castors (optional).

The single sided step ladders are equipped with a 600 mm high safety railing with an integrated tool box. For the double side step ladders a folding down 600 mm high safety railing is available on request (optional).



STEP LADDER	NUMBER OF STEPS	PLATFORM HEIGHT (mm)	(kg)	CODE	€
Single	2 + 1	700	7,40	9ETGB32V	webshop
Single	3 + 1	940	8,50	9ETGB42V	
Single	4 + 1	1170	9,60	9ETGB52V	
Single	5 + 1	1410	12,00	9ETGB62V	
Single	6 + 1	1640	13,00	9ETGB72V	
Single	7 + 1	1880	14,50	9ETGB82V	
Single	9 + 1	2350	17,50	9ETGB102V	
Single	11 + 1	2820	19,50	9ETGB122V	

webshop

*For the most
up to date price :
webshop www.cornix.eu*



STEP LADDER	NUMBER OF STEPS	PLATFORM HEIGHT (mm)	(kg)	CODE	€
Double	2 x 3	700	8,00	9ETDO32V	webshop
Double	2 x 4	940	9,50	9ETDO42V	
Double	2 x 5	1170	11,00	9ETDO52V	
Double	2 x 6	1410	13,00	9ETDO62V	
Double	2 x 8	1880	16,50	9ETDO82V	
Double	2 x 10	2350	20,00	9ETDO102V	
Double	2 x 12	2820	24,50	9ETDO122V	

webshop



CORNIX ADVICE

The height mentioned in the chart is the platform height of the step ladders in open position. Folded the step ladders will be somewhat higher !





▲ Staircase with intermediate landing.

Pass bridge with staircases over conveyor. ►

STEEL INDUSTRIAL STAIRCASES

Consult our TRAVIFORM® brochure for more details.



MARKINGS



- Four sizes available
- Packed per 100 pieces
- Price per 100 piece box



Magnetic pouch without hooks



Magnetic pouch with hooks

- Six sizes available
- Packed per 100 pieces
- Price per 100 piece box



Available for shelves 1000 mm and 1250 mm. Heights 20, 34 or 42 mm. Transparent PVC.

MAGNETIC TAPE

Available in 6 heights and equipped with a white vinyl top allowing you to write on them with a standard marker pen. Standard length : 5 meter/roll. Ideal for an efficient identification of your goods in your storage system : just put the label on the shelf ... and the magnetism does the rest ! Now also available in yellow ! Other colours available on request and longer lead time.

DIMENSIONS H x L (mm)	ROLLS PER BOX	CODE		€/box
		WHITE	YELLOW	
15 x 5000	2	SEM15C0	SEM15J0	webshop
20 x 5000	1	SEM20C0	SEM20J0	
25 x 5000	1	SEM25C0	SEM25J0	
30 x 5000	1	SEM30C0	SEM30J0	
50 x 5000	1	SEM50C0	SEM50J0	
80 x 5000	1	SEM80C0	SEM80J0	

MAGNETIC LABEL HOLDERS

Your labels always on the right spot and protected from dust ! The magnetism makes them easy to move them either on a shelf or on a container. You can still read your labels with a scanning device.

DIMENSIONS (mm) EXTERIOR L x H	FOR LABELS (mm)	CODE	€
97 x 30	90 x 25	SMCS2020	webshop
97 x 58	90 x 50	SMCS2030	
120 x 40	110 x 34	SMCS2050	
137 x 58	130 x 50	SMCS2040	

MAGNETIC POUCHES

The accompanying documents can now follow easily the goods during the full production cycle and at the same time being protected from dust in their magnetic pouches.

Easy installation by magnetism on shelves, containers, etc. A model with hooks, also magnetic, has been developed for mesh containers.

DIMENSIONS L x H (mm)	WITHOUT HOOKS		WITH HOOKS	
	CODE	€	CODE	€
110 x 110	9MMT433V	webshop	-	-
155 x 110	9MMT423V		-	-
110 x 155	9MMT453V		-	-
220 x 110	9MMT413V		9MMT513V	webshop
220 x 155	9MMT403V		9MMT503V	
220 x 310	9MMT443V		9MMT543V	

ADHESIVE LABEL RAILS

Ideal to identify your goods in your CORNIX PLUS® shelving system.

LENGTH (mm)	HEIGHT (mm)	H (mm) LABEL	CODE	€
950	20	18	SDS20950T0	webshop
1200	20	18	SDS201200T0	
950	34	30	SDS30950T0	
1200	34	30	SDS301200T0	
950	42	40	SDS40950T0	

TRANSPORT TRUCKS & CYLINDER TROLLEYS

TRANSPORT TRUCKS • lacquered blue RAL 5010



TYPE	WEIGHT (kg)	DIMENSIONS H x W (mm)	FOOT W x D (mm)	WHEELS		LOAD (kg)	CODE	€
				Ø (mm)	TYPE			
1 Light model	10	1100 x 460	400 x 200	200/50	solid rubber	200	9G952V0V	webshop
1 Light model	10	1100 x 460	400 x 200	210/65	pneumatic	200	9G952L0V	
2 Standard model	11	1150 x 400	300 x 250	200/50	solid rubber	200	9G984V0V	
2 Standard model	11	1150 x 400	300 x 250	260/85	pneumatic	200	9G984L0V	
3 Medium duty model	15	1200 x 550	400 x 200	200/50	solid rubber	250	9G960V0V	
3 Medium duty model	15	1200 x 550	400 x 200	260/85	pneumatic	250	9G960L0V	
4 Medium duty model	15	1200 x 550	400 x 200	200/50	solid rubber	300	9G961V0V	
4 Medium duty model	15	1200 x 550	400 x 200	260/85	pneumatic	300	9G961L0V	
5 Standard model	12	1350 x 400	300 x 250	200/50	solid rubber	300	9G990V0V	
5 Standard model	12	1350 x 400	300 x 250	260/85	pneumatic	300	9G990L0V	
6 Standard model	12	1350 x 400	300 x 250	200/50	solid rubber	300	9G988V0V	
6 Standard model	12	1350 x 400	300 x 250	260/85	pneumatic	300	9G988L0V	



TRANSPORT TRUCK FOR STAIRCASES

lacquered blue RAL 5010

TYPE	WEIGHT (kg)	DIMENSIONS H x W (mm)	FOOT W x D (mm)	LOAD (kg)	CODE	€
7 solid	19	1350 x 400	300 x 250	200	9G990T0V	
8 rubber	9	970 x 340	330 x 370	150	9G940V0V	

Ø 200/50



FOLDING TRANSPORT TRUCKS

lacquered blue RAL 5010

CYLINDER TROLLEYS

lacquered blue RAL 5010



TYPE	DIMENSIONS H x W (mm)	FOOT W x D (mm)	WHEELS		FOR CYLINDERS (liters)	CODE	€
			Ø (mm)	TYPE			
1 For 1 cylinder	1200 x 460	250 x 250	200/50	solid rubber	10-20-40-50	9G971V0V	webshop
			200/50	pneumatic			
2 For 2 cylinders without toolbox	1100 x 730	500 x 220	230/65	pneumatic	10-20	9G970L0V	
3 For 2 cylinders + toolbox	1500 x 650	500 x 250	400/80	solid rubber	40-50	9G972V0V	
			400/100	pneumatic			
For 2 cylinders without toolbox	1200 x 850					9G972L0V	

TABLE TROLLEYS & SHELF TRUCKS



TABLE TROLLEYS & SHELF TRUCKS

Lacquered blue RAL 5010 • 2 fixed and 2 swivel solid rubber castors • assembled

*For the most up to date price :
webshop www.cornix.eu*

TYPE	DIMENSIONS L x W (mm)	LEVEL HEIGHTS (mm)	WHEELS Ø (mm)	LOAD (kg)	CODE	€
1 Heavy duty table trolley 2 levels	1000 x 700	280/895	200/50	500	9G7520V	
	1200 x 800	280/895	200/50	500	9G7530V	
2 Table trolley 2 levels without steel edges	1000 x 600	300/800	125/40	150	9G702H0V	
3 Table trolley 3 levels without steel edges	1000 x 600	300/550/800	125/40	150	9G703H0V	
4 Table trolley 2 levels	1000 x 600	200/730	125/40	250	9G702E0V	webshop
5 Table trolley 3 levels	1000 x 600	200/465/730	125/40	250	9G703E0V	
6 Shelf truck 4 levels	1000 x 700	280/675/	200/50	500	9G7000V	
	1200 x 800	1070/1470	200/50	500	9G7010V	
7 Shelf truck 4 levels with 3 mesh sides	1000 x 700	280/675/	200/50	500	9G700G0V	
	1200 x 800	1070/1470	200/50	500	9G701G0V	

knocked down



TABLE TROLLEYS

Lacquered blue RAL 5010 • 2 fixed and 2 swivel solid rubber castors • 2 levels



TYPE	DIMENSIONS L x W (mm)	LEVEL HEIGHTS (mm)	WHEELS Ø (mm)	LOAD (kg)	CODE	€
8 Light model	870 x 430	300/800	125/40	150	9G0670150V	

PLATFORM TRUCKS

PLATFORM TRUCKS • lacquered blue RAL 5010

Medium duty platform trucks • 2 fixed and 2 swivel solid rubber castors • assembled



TYPE	BEST SELLER	DIMENSIONS		WHEELS		LOAD (kg)	CODE	€
		PLATFORM (mm)		Ø (mm)	TYPE			
1	With 1 handle without front panel	800	500	125/40	solid rubber	250	9G4510V	
2	With 1 handle and front panel	800	500	125/40	solid rubber	250	9G4500V	

TYPE	DIMENSIONS (mm)			WHEELS Ø (mm)	HEIGHT SIDES (mm)	LOAD (kg)	CODE	€
	L x W	HEIGHT	HEIGHT					
3	Without handle	1000 x 700	275	200/50	-	500	9G6000V	
		1200 x 800	275	200/50	-	500	9G6010V	
4	With 1 handle, without front panel	1000 x 700	275	200/50	-	500	9G5980V	
		1200 x 800	275	200/50	-	500	9G5990V	
5	With 1 handle & 1 front panel	1000 x 700	275	200/50	500	500	9G6020V	
		1200 x 800	275	200/50	500	500	9G6030V	
6	With 2 handles & 2 front panels	1000 x 700	275	200/50	500	500	9G6040V	webshop
		1200 x 800	275	200/50	500	500	9G6050V	
7	With 2 side handles & 2 side panels	1000 x 700	275	200/50	500	500	9G6060V	
		1200 x 800	275	200/50	500	500	9G6070V	
8	With 2 handles, 2 front panels & 1 side panel	1000 x 700	275	200/50	500	500	9G6080V	
		1200 x 800	275	200/50	500	500	9G6090V	
9	With 2 handles, 2 front panels & 2 side panels (1 removable side panel)	1000 x 700	275	200/50	500	500	9G6100V	
		1200 x 800	275	200/50	500	500	9G6110V	



◀ **PLATFORM TRUCK**
WITH FOLDING PUSH HANDLE
assembled



PLATFORM ▶
TRUCK
knocked down



TYPE	DIMENSIONS (mm)			WHEELS		LOAD (kg)	CODE	€
	L x W	HEIGHT	HEIGHT	Ø (mm)	TYPE			
10	Platform truck with folding push handle	1000 x 700	280	200/50	solid rubber	400	9G0261270V	
11	Platform truck knocked down	910 x 450		125/40	solid rubber	200	9G02455040V	


TURNTABLE TRUCKS & DRUM TRUCKS

ROLLER PLATFORM • lacquered blue RAL 5010



12 TYPE	DIMENSIONS (mm)	WHEELS Ø (mm)	WHEELS TYPE	LOAD (kg)	CODE	€
Heavy	1000 x 700	200/50	solid rubber	500	9G11100V	
duty	1200 x 800	200/50	solid rubber	500	9G11120V	
model	1600 x 900	200/50	solid rubber	500	9G11160V	
Lever roller		200/50	solid rubber	250	9G110V	

TURNTABLE TRUCK • lacquered blue RAL 5010 • assembled



TYPE	DIMENSIONS PLATFORM (mm)	WHEELS Ø (mm)	WHEELS TYPE	LOAD (kg)	CODE	€
13 WITHOUT SIDE PANELS	1200 x 800	250/60	solid rubber	700	9G512V0V	
	1200 x 800	400/100	pneumatic	1000	9G513L0V	
	2000 x 1000	400/100	pneumatic	1250	9G520L0V	
14 WITH 220 MM HIGH SIDE PANELS	1200 x 800	250/60	solid rubber	700	9G5012V0V	webshop
	1200 x 800	400/100	pneumatic	1000	9G5013L0V	
	2000 x 1000	400/100	pneumatic	1250	9G5020L0V	



DRUM TRUCKS lacquered blue RAL 5010

DRUM STAND	CODE	€
For drums 50 up to 100 l.	9G3100V	
Lever bar 50-100 l.	9G3010V	
For drums 200 l.	9G3200V	
Lever bar 200 l.	9G3020V	

DRUM TRUCK	DIMENSIONS H x W (mm)	WHEELS Ø (mm)	WHEELS TYPE	LOAD (kg)	CODE	€
1 For drums 200 l.	1600 x 600	260/85	pneumatic	300	9G322L0V	




EUROPE'S FIRST MANUFACTURER
OF STORAGE SYSTEMS







YOUR CHOICE OF COLOURS

Standard colour for this product (+/- 4 weeks) :


Gentian blue ral 5010 
 (bracing & small items : sendzimir)

Other standard colours without surcharge (workbenches only)
 (lead time 4 to 6 weeks) :

Ivory (cream) ral 1013 
 Zinc yellow ral 1018 
 Orange-red ral 2002 
 Light grey ral 7035 
 (bracing & small items : sendzimir)

Other ral colours at extra cost (lead time +/- 6 weeks)
 (bracing & small items always sendzimir).
 (workbenches & wabons. Other products : see description)

OTHER CORNIX® PRODUCTS



TraviCant
Cantilevers



C-Build
Covered storage



TraviDrive
Drive-in & drive-through




C-Rack
Pallet racking




Cornix Plus
Shelving systems



TraviForm
Mezzanines



TraviRack
Pallet racking



TraviTex
Garment storage



C-Cable
Cable drum storage



Minirack Plus
Long span



STORAGE SYSTEMS FOR LIFE

www.cornix.eu

CORNIX FLANDERS

ANTWERPEN (Kiel)

Boomsesteenweg, 492
 B-2020 Antwerpen

☎ ++/32/(0)3/240 11 30

☎ ++/32/(0)3/825 30 90

✉ sales@cornix.eu

CORNIX NETHERLANDS

DOETINCHEM (no showroom)

Kruidenlaan 7
 NL-7060 TD Doetinchem

☎ ++/32/(0)3/240 11 30

☎ ++/32/(0)3/825 30 90

✉ sales.nl@cornix.eu

CORNIX WALLONIA

NIVELLES

Rue de la Recherche 6A, Z.I. 1 Nivelles Sud
 B-1400 Nivelles

☎ ++/32/(0)67/411 241

☎ ++/32/(0)67/411 249

✉ sales@cornix.be

CORNIX EXPORT SALES

NIVELLES

Rue de la Recherche 6A, Z.I. 1 Nivelles Sud
 B-1400 Nivelles

☎ ++/32/(0)67/894 225

☎ ++/32/(0)67/894 220

✉ export@cornix.eu